FY2021 Q1 Financial Results

Company

HEALIOS K.K. (TSE 4593)

Date

May 14, 2021



1. Strategy/Updates | 02
2. HLCM051 ARDS | 06
3. HLCM051 Stroke | 13
4. iPSC Platform | 19
5. HLCN061 Immuno-oncology (NK Cells) | 30
6. HLCR011 AMD/
   HLCL041 Liver Organ Bud Platform | 37
7. Financial Highlights | 41
8. Appendix | 45

Hybrid Strategy

- Generate near term profits in stroke and ARDS indications
- Reinvest profits in our world-leading engineered IPSC platform to create next generation therapies for the global market



Engage deeply with regenerative medicine innovation around the world through our venture fund activities

Important informational insights | **Building relationships with promising companies** | **High return investments**

Saisei Ventures LLC (US based) has made its initial investments in Japan and US private venture companies.

© HEALIOS K.K. All rights reserved.

Pipeline in Inflammatory Conditions, Immuno-oncology, and Replacement Therapies

Update

Healios

	Development Code	Indication	Country / Region	Pre-clinical test	Clinical trial (Regenerative medical products)	Preparation for application	Apply/ Approved	On Market	Progress status
Inflammatory Conditions	HLCM051	Ischemic Stroke	Japan		Phase2/3		SAKIGAKE Designation System		Finalizing patient enrollment
		ARDS	Japan		Phase2		Orphan regenerative medicine product		Patient enrollment completed Pending data analysis

	Development Code	Indication	Country / Region	Pre-clinical test	Phase 1 trial	Phase 2 trial	Phase 3 trial	Preparation for application	Apply/ Approved	On Market	Progress status
Immuno-Oncology	HLCN061	Solid Tumors	Japan US/EU	→							Research and development of genetically modified NK cells(*1) Joint research with the National Cancer Center Japan

	Development Code	Indication	Country / Region	Pre-clinical test	Phase 1 trial	Phase 2 trial	Phase 3 trial	Preparation for application	Apply/ Approved	On Market	Progress status
Replacement Therapies	HLCR011	Wet AMD	Japan	→							Undergoing preparation for clinical trial Joint development with Sumitomo Dainippon Pharma
	HLCR012	Dry AMD	US/EU	→							
	HLCL041	Metabolic Liver Disease	Japan	→							Joint research with Yokohama City University

*1) NK Cells: Natural Killer Cells

© HEALIOS K.K. All rights reserved.

HLCM051 ARDS: ONE-BRIDGE Study

Update

Healios

Phase 2 trial for patients with pneumonia induced ARDS in Japan (ONE-BRIDGE Study)

- Full enrollment was completed in March 2021

Note: Regarding the additional cohort for 5 patients of COVID-19 induced ARDS in Japan, full enrollment was completed in August 2020

Development plan



＊HLCM051 has been designated as an **orphan regenerative medicine product** for use in the treatment of ARDS.

© HEALIOS K.K. All rights reserved.

Development of a facility for cell processing and manufacturing

New Healios

Started preparations for in-house manufacturing of clinical trial products for iPSC regenerative medicine

May 2021 Healios decided to develop a facility for cell processing and manufacturing (CPC) at the facility under consideration by Foundation for Biomedical Research and Innovation in Kobe

Preparations for GCTP / GMP-compliant manufacturing of clinical trial products of iPSC regenerative medicine including HLCN061 for solid tumors

Healios will be able to control the schedule and quality of clinical trial product manufacturing.



KCMI (Kobe Center for Medical Innovation) where the CPC will be established

© HEALIOS K.K. All rights reserved.

HLCM051 ARDS



© HEALIOS K.K. All rights reserved.

HLCM051 ARDS: About Acute Respiratory Distress Syndrome (ARDS)

There is demand for new treatments for ARDS that will lead to improvements in patients' symptoms and prognosis

About ARDS

Acute Respiratory Distress Syndrome (ARDS) is **a general term for the symptoms of acute respiratory failure** suddenly occurring in all seriously ill patients. The major causes are severe pneumonia, septicemia, trauma etc. ARDS is a common cause of morbidity and mortality in severe COVID-19 and other pandemic infection induced pneumonia patients. **Inflammatory cells are activated** in response to these diseases or injuries, **causing damage to the tissue of the lungs**. As a result, water accumulates in the lungs, leading to acute respiratory failure.



（Source）Athersys

Typically, ARDS is said to occur within 24 to 48 hours of the onset of the illness or injury that caused it. The mortality rate is approximately 30 to 58%*.

(* ARDS treatment guideline 2016)

Current Treatment

Artificial respiration using an endotracheal tube or mask is used to treat for respiratory failure in an intensive care unit (ICU).
However, it is known that prolonged use of a ventilator worsens a patient's prognosis.
ECMO (Extracorporeal Membrane Oxygenation) is used in severe ARDS patients including that for which COVID-19 is the underlying disease.

At present, **there are no therapeutic drugs** that can make a direct improvement to a patient's vital prognosis when ARDS develops.

© HEALIOS K.K. All rights reserved.

HLCM051 ARDS: ONE-BRIDGE Study

Update

Healios

Full enrollment for the ONE-BRIDGE Study was completed in March 2021

ARDS trial cohorts



Overview of the ARDS trial

	Cohort1	Cohort 2
Enrolment	From April 2019 To March 2021	From April 2020 To August 2020
Subjects	Patients with pneumonia induced ARDS	Patients with pneumonia-induced ARDS caused by COVID-19
Enrollment	30 (HLCM051: 20, Standard therapy: 10)	Approximately 5 (HLCM051: 5)
Objective	Efficacy and safety evaluation	Safety evaluation
Primary Endpoint	The number of days out of 28 in which a ventilator was not used for the patient (i.e. ventilator free days)	Safety

Patient enrollment of COVID-19 pneumonia-derived cases (Cohort 2) was performed separately from the conventional clinical trial administration group (Cohort 1).

© HEALIOS K.K. All rights reserved.

HLCM051 ARDS: Number of ARDS Patients

Number of ARDS patients in Japan estimated approximately **7,000～12,000 per year**

Approximately 1/3 of ARDS cases caused by pneumonia

Epidemiological data

Epidemiological data	Incidence rate	The estimated number of ARDS patients in Japan＊1
Epidemiology, Patterns of Care, and Mortality for Patients With Acute Respiratory Distress Syndrome in Intensive Care Units in 50 Countries. Source：JAMA.2016; 315(8): 788-800	・0.42 cases per ICU bed ・10.4% of ICU admissions ・23.4% of patients requiring mechanical ventilation	11,937
Epidemiology of Acute Lung Injury (ALI) / Acute Respiratory Distress Syndrome (ARDS) in Chiba Prefecture Source：Journal of Japanese Association for Acute Medicine 2007; 18(6): 219-228	6.1 per 100,000 persons	7,320

Underlying diseases of ARDS



(Source) Respiratory Investigation; 55(4): 257-263

Approximately one-third of ARDS cases are caused by pneumonia. Seasonal infections may progress from pneumonia to ARDS. Some data indicate that approximately 71%[*2] of avian-origin influenza A (H7N9) infections result in ARDS.

＊1（Source）The number of ARDS patients in Japan is estimated by Healios based on the incidence rate of epidemiological data and the total demographical population in Japan.
＊2（Source）Gao HN. et al., *N Engl J Med.* 2013 Jun 13;368(24):2277-85.

© HEALIOS K.K. All rights reserved.

New Healios

HLCM051 could be the first available therapeutic for ARDS

Current status

- Currently only artificial respiration and ECMO (Extracorporeal Membrane Oxygenation) are available as coping therapies.
- ECMO has a limited number of installations at medical institutions, requires multiple medical staff with special skills, and has a high cost of management.

Contribution to patients ⇒ QOL improvement

- Improving patient lifesaving rate and recovery level
- Shortening the treatment period (ICU use, length of hospital stay, etc.)
- Reducing the burden of medical expenses

Contribution to hospitals ⇒ Reducing the burden on medical staff and hospitals

- Curbing the use of artificial respiration management, including ECMO
- Curbing medical resources per patient
- Improvement of bed use (rotation) rate

ECMO





Artificial Respiration

© HEALIOS K.K. All rights reserved.

Results of Double-blind Study Conducted by Athersys <ARDS>

Based on one-year follow-up summary results, an evaluation of quality-of-life suggests further potential benefits from MultiStem treatment including faster rehabilitation.

No serious adverse events were observed.

Analysis of the Double-blind study conducted by Athersys

	MultiStem	Placebo
Mortality	25%	40%
Ventilator- free (VF) days	12.9 days	9.2 days
Intensive Care Unit (ICU) free days	10.3 days	8.1 days

Post-hoc Analysis of patients in severe condition and pneumonia-induced ARDS

	MultiStem	Placebo
Mortality	20%	50%
Ventilator- free (VF) days	14.8 days	7.5 days
Intensive Care Unit (ICU) free days	12.0 days	5.0 days

In the above analysis based on data obtained 90 days after administration, the mortality rate and the number of ventilator-free days (VFD) within a 28-day post-administration period et al. tended to improve in the MultiStem group compared with the placebo group. The results of the 1-year follow-up after administration showed a similar trend.

Overview of the Analysis

Clinical trial	Exploratory clinical trial （Phase 1/2) conducted by Athersys in US and UK （MUST-ARDS study)
Subjects	ARDS patients administered MultiStem or Placebo intravenously（In Phase 2 trial, MultiStem 20, Placebo 10)
Endpoints	- Mortality - Ventilator Free days (The number of the days out of 28 in which a ventilator was not used for the patient) - ICU Free Days The number of the days out of 28 in which the patient was out of Intensive Care Unit

（Source）Athersys

© HEALIOS K.K. All rights reserved.

HLCM051 ARDS: Pathological Process and HLCM051 Expected Mechanism of Action

Following intravenous administration after ARDS, HLCM051 accumulates in the lungs and controls excessive inflammation, protects damaged tissue and promotes restoration.

Inflammatory cells are released



-Underlying disease (pneumonia, etc.)
-Injury (Traffic accident, etc.)

When the tissue is damaged, inflammatory cells are released in large quantities.

Inflammatory cells attack the lungs



The inflammatory cells attack the lungs. As a result, hypoxia develops and the patient falls into severe respiratory failure.

HLCM051 Administered



- Suppresses excessive inflammation in the lungs.
- Protects damaged tissue and facilitates healing.

HLCM051 accumulates in the lungs as a result of intravenous administration.

Lung function improves



We can anticipate earlier ventilator removal and a lower mortality rate.

© HEALIOS K.K. All rights reserved.

HLCM051 STROKE



© HEALIOS K.K. All rights reserved.

HLCM051 Stroke: TREASURE Study Ongoing

Update

Healios

Ongoing Placebo-Controlled, Double-Blind, Phase 2/3 Efficacy and Safety Trial of HLCM051 (MultiStem®) in Patients With Ischemic Stroke

Development Plan

November 2017
First patient enrolled

Although there has been an impact due to the rise of COVID-19 infections in Japan, we are in the process of finalizing patient enrollment.



The approval period may be shortened from 12 months to 6 months by the SAKIGAKE Designation System

Overview of TREASURE study

Trial	Placebo-Controlled, Double-Blind, Phase 2/3 Efficacy and Safety Trial of HLCM051 (MultiStem®) in Patients With Ischemic Stroke （TREASURE study）
Subjects	Ischemic stroke within 18 to 36 hours
Conditions	Placebo-Controlled, Double-Blind
Enrollment	220 (HLCM051 [n=110], placebo [n=110], randomized)
Primary Endpoints	Proportion of subjects with an excellent outcome defined by functional assessments [Time Frame: Day 90]

- “Excellent Outcome” is defined as achieving mRS ≤1, NIHSS ≤1, and BI ≥95. mRS, NIHSS, and BI are the three major indices of functional assessment for stroke patients.

© HEALIOS K.K. All rights reserved.

Results of Double-blind Study Conducted by Athersys <Stroke>

The proportion of patients who achieved Excellent Outcome was statistically significant in the group of patients who received MultiStem within 36 hours of the onset of cerebral infarction

Analysis of the Double-blind study conducted by Athersys



(Source) This material was based on *Lancet Neurol*. 2017 May;16(5):360-368; 16 360–68 Supplementary appendix Table 5

Overview of the Analysis

Trial	The placebo-controlled double-blind Phase 2 study conducted by Athersys in the US and the UK （MASTERS study)
Subjects	Administered MultiStem or Placebo within 36 hours of the onset of stroke
Endpoint	Proportion of subjects with an Excellent Outcome on Day 90 and Day 365

*<Excellent Outcome> is defined as mRS score of ≤1 (scale, 0 to 6), NIHSS score of ≤1 (scale, 0 to 42), and BI score of ≥95 (scale, 0 to 100).

© HEALIOS K.K. All rights reserved.

HLCM051 Stroke: Outline of Ischemic Stroke in Japan

Expected development of a new therapy that can be applied in a longer treatment window period following the onset of ischemic stroke (ability to help more patients)

Treatment in Accordance with the Period After Onset



※1 Dissolves blood clots in the brain vessels
※2 Insertion of the catheter into a blood vessel and recovery of the thrombus directly with a wire.

(Note) This material was prepared to explicitly describe the major therapeutic options for ischemic stroke and their treatment window periods after onset. Appropriate treatments are conducted according to patients' conditions and classification of their symptoms. Experimental or investigational treatments not included in the above are also performed.

Ischemic Stroke

Ischemic stroke, which represents the most common form of stroke (70 - 75% of cases in Japan), is caused by a blockage of blood flow in the brain that cuts off the supply of oxygen and nutrients, resulting in tissue loss.



(Source) Athersys

It is estimated that 37.9% of bedridden patients and 21.7% of persons who were in need of care were affected by ischemic stroke.

© HEALIOS K.K. All rights reserved.

HLCM051 Stroke: Annual number of New Patients with Ischemic Stroke in Japan

The number of patients in Japan targeted for HLCM051 is estimated to be 62,000 a year



Number of patients with ischemic stroke in Japan (yearly)

Severe patients （atherothrombotic and cardiogenic cerebral infarction)

Patients within 36 hour after onset

(Source) Healios estimated the annual number of new patients with ischemic stroke in Japan according to materials issued by the Fire and Disaster Management Agency, the Ministry of Internal Affairs and Communication, and the Ministry of Health, Labour and Welfare – DATAMONITOR epidemiological estimates also shown as upper end of range.
(Source) Healios estimated the percentage of patients who reach the hospital within 36 hours after onset at 47% according to the results of its market research.

© HEALIOS K.K. All rights reserved.

HLCM051 Stroke: Mechanism of HLCM051 Treatment

Stroke-induced neuronal damage



Primary Damage

With HLCM051



HLCM051
-suppress the mobilization/ release of inflammatory cells (lymphocytes, cytokines)
-activate the mobilization/ release of anti-inflammatory cells





Attenuate neuronal damage in the acute phase of stroke caused by inflammatory cells

Secondary Damage mitigation

Without HLCM051

Activate mobilization / release of inflammatory cells (lymphocytes, cytokines) in the spleen





Neuronal damage exacerbated by inflammatory chemokines/cytokines
Inflammatory cells are released from the spleen and exacerbate the neuronal damage of the ischemic site.

Secondary Damage

(Source) This figure was based on Stroke. 2018 May;49(5):1058-1065.Fig.2

© HEALIOS K.K. All rights reserved.

iPSC Platform



© HEALIOS K.K. All rights reserved.

World-leading engineered “universal” iPSC platform: “Universal Donor Cells” / “UDC”



Targeted cell programming through gene-editing

- In October 2020, Healios established a clinical grade line that can be clinically applied to humans in each of Japan, the United States and Europe.
- Healios has led the development of high-quality, universal donor iPS cells in accordance with global standards.
- Consultations with the FDA and PMDA led to no concerns in relation to clinical use of UDC derived therapeutics.
- The UDC line differentiates readily into various in-house made cells (e.g. NK cells, liver progenitor cells, vascular endothelial cells, etc.).
- Active discussions with several companies and academic institutions in relation to use with various therapeutic candidates.

© HEALIOS K.K. All rights reserved.

iPSC Platform

	Autologous iPS cells	Allogeneic iPS/ES cells	UDC
Immune rejection	None	Occurs (Immunosuppressive drugs are required)	None
Manufacturing term	Several months to 1 year (Need to make from each patient)	Off-the-shelf (Single line)	Off-the-shelf (Single line of gene-edited cells)
Cost	Very high	Low	Low

© HEALIOS K.K. All rights reserved.

iPSC Platform: Production of Eengineered, Universal iPS Cells

Engineered, universal iPS cells unlock full potential of iPSC therapies





（Source）in-house data

© HEALIOS K.K. All rights reserved.

iPSC Platform: Removal of HLA Proteins and Addition of Immunosuppression-related Molecules

Results of gene editing in clinical grade UDC



Post-gene editing disappearance of HLA proteins and enhanced expression of immunosuppression-related genes

（Source）in-house data

© HEALIOS K.K. All rights reserved.

Characteristics of Clinical grade UDC

46 (X,Y)



Expression of Pluripotency Markers



Differentiation



Endothelial cell



Hepatocyte

No post gene-editing karyotypic aberrations

iPSC pluripotency maintained

（Source）in-house data

© HEALIOS K.K. All rights reserved.

iPSC Platform : Differentiation and induction of photoreceptor cells from UDCs

Photoreceptor cells



UDC

Differentiation and induction



Photoreceptor cells From UDC

Photoreceptor cells are one of the cells that compose the retina and are particularly responsive to light.

Through our joint research, we have succeeded in the culturing of photoreceptor cells from iPS cells. We have also successfully differentiated and induced photoreceptors from UDCs.

Evaluation experiments are currently underway using a large animal disease model in which photoreceptor cells are damaged.



(Source) Joint research data

© HEALIOS K.K. All rights reserved.

iPSC Platform: Evaluation of UDC Inducible Suicide Genes *In Vivo*



Confirmed suicide gene activity in immunodeficient mice

© HEALIOS K.K. All rights reserved.

iPSC Platform: Evaluation of UDC Inducible Suicide Genes *In Vitro*





After induction of suicide genes, target cells die by apoptosis

（Source）in-house data

© HEALIOS K.K. All rights reserved.

iPSC Platform: UDC Production Process Checklist (Excerpt)

①Confirmation of gene editing



②Absence of malignant mutations



③ Retention of iPS cell properties



Quality check item	Contents
Confirmation of gene editing	Identification of target region sequence
Expression level of HLA proteins	Loss of HLA Class I expression
	Loss of HLA Class II expression
Transgene expression	Expression of immune suppression associated molecules
	Expression of suicide genes
Gene mutation	No off target issues
	Normal karyotype
	No cancer associated genes
Attribution	Sterility
	Endotoxin free
	Mycoplasma free
	Gene expression analyses (Comparison with the parent cell line)
	Expression of undifferentiated markers
	Pluripotency (triploblastic differentiation)
	Absence of immunogenicity
	Function of suicide genes

© HEALIOS K.K. All rights reserved.

iPSC Platform: Unlocking the Full Potential of iPS Cells

By using UDCs, graft rejection may be avoided, and sustained efficacy may be expected.

Target an off-the-shelf product: stable production and quality with lower cost of goods.



＊See Appendix for additional explanation.

© HEALIOS K.K. All rights reserved.

HLCN061



© HEALIOS K.K. All rights reserved.

HLCN061 Cancer is the Leading Cause of Death in Japan

The No.1 cause of death in Japan is cancer (approximately 90% of which are caused by solid tumors)



（Source） data from National Cancer Center, Center for Cancer Control and Information Service, 2018

© HEALIOS K.K. All rights reserved.

HLCN061: Leading the Development of iPSC Derived Gene-Modified NK Cells

Natural killer (NK) cells, a type of white blood cell, play a central role in a cell mediated defense system that human bodies naturally have, and attack cancer cells and virus-infected cells.

- Best in class, enhanced anti-tumor efficacy by introducing/modulating various factors related to NK cells killing activity
- Broad applicability across tumor types irrespective of specific cancer antigens

Production of NK cells



Gene-edited iPS cells

Induction of differentiation



NK cells



(Source) in-house data

© HEALIOS K.K. All rights reserved.

HLCN061: Mechanism of NK Cell Attack of Cancerous or Virus-Infected Cells

Normal cells

NK cells do not attack normal cells by recognizing normal marker



Cancerous or virus-infected cells

① Activated by abnormal markers

② Release the brake allowing for the attack



③ Recognize the antibodies that are attacking the cancer and further activate.

④ Release the degrading enzymes and destroy cancer cells

© HEALIOS K.K. All rights reserved.

HLCN061: Enhancement of Anti-cancer Functions through Gene Modification

Enhancing Anticancer Function at Each Stage of the Cancer-Immunity Cycle



Cancer-Immunity Cycle

NK cells recognize and kill cancer cells

↓

Exposed to cancer antigen

↓

Activation of the cancer immunity cycle and induction of cytotoxic T-lymphocytes

↓

Degeneration of cancer

（Source） This material was based on Daniel S.Chen and Ira Mellman.,Immunity. 2013;39(1):1-10.

© HEALIOS K.K. All rights reserved.

HLCN061: Market Leading Range of Functional Enhancements

	HEALIOS	Company-A		Company-B		Company-C
	iPS Cell	iPS Cell①	iPS Cell②	Cell①	Cell②	Cord blood
Recognizes cancer cells	✓		✓		✓	✓
Enhanced function in combination with antibodies	✓	✓	✓	✓	✓	
Migrates to cancer cells	✓					
Attracts host immune cells	✓					
Activates surrounding T-cells and dendritic cells	✓		✓			✓
Self-activation and maintenance of survival	✓		✓			✓
Avoids immune rejection in patients	✓					

（Source） Adapted by Healios from public information

© HEALIOS K.K. All rights reserved.

HLCN061: Joint Research with the National Cancer Center Japan

Healios

Healios

The National Cancer Center Japan



Gene edited NK cells

PDX

Research utilizing PDX（Patient-Derived Xenograft）

・Investigate the expression of several molecules recognized by HLCN061

・Clarify the characteristics of solid cancers to which HLCN061 exerts antitumor effects

Based on the results of these studies

PDX models ＊1 will be used to consider what solid cancers we should target with our therapy.

*1 PDX models
Transplant human patient cancer tissue into immunodeficient mice
Dramatically improves the predictability of clinical response

© HEALIOS K.K. All rights reserved.

HLCR011 AMD／HLCL041 Liver Organ Bud Platform



© HEALIOS K.K. All rights reserved.

Age-related Macular Degeneration(AMD) causes Retinal Pigment Epithelial (RPE) cells to degenerate, which damages function

Regular Macular Part



Developed Dry-AMD

Immunity barrier maintained
→ Degeneration of photoreceptor→ Dry AMD



Wet AMD

Destruction of immunity barrier → Invasion of immune cells
→ Inflammation → Wet AMD



Joint Development

In Japan, HEALIOS and Sumitomo Dainippon Pharma jointly develop a treatment using iPS cell-derived RPE cells.

- Sumitomo Dainippon Pharma takes the lead in preparing for clinical trials

© HEALIOS K.K. All rights reserved.

HLCL041: Liver Organ Bud Platform

By creating an "Organ Bud" of each organ with iPS cells, we have laid the groundwork for paradigm shifting therapies to emerge for various severe diseases.

UDCs allow for the realization of organ replacement using organ buds.



*movie

The vascularization was confirmed in vivo by transplantation to mice.

（Sours） Japan Science and Technology Agency　Science News “Diverse Approaches in Regenerative Medicine from Cell to Tissue/Organ” (Distributed October 3, 2013)
https://sciencechannel.jst.go.jp/M130001/detail/M130001005.html



Green：Cells of each organ
Red：Vascular endothelial cell
Black：MSC

（Sours） Modified from Takebe T. et al., Cell Stem Cell, 2015

© HEALIOS K.K. All rights reserved.

HLCL041: Liver Organ Bud Platform: Survival Rate of Liver Failure in Mouse Model

Survival rate improves significantly in transplantation experiments

Treatment effects of liver bud transplantation to mouse using hiPSC



（Source） Adapted by Healios from Takebe. T, et al. Nature, 499 (7459),（2013）

Process

Process by which organ forms from organ bud links mouse‘s vascular network autonomously





（Source）Takebe,T., et al.
Nature Protocols, 9, 396–409 (2014)

© HEALIOS K.K. All rights reserved.

Financial Highlights

© HEALIOS K.K. All rights reserved.

Consolidated Statements of Income

Update

Healios

(Units: one million US dollar)

	FY2020 Q1(YTD)	FY2021 Q1(YTD)		
			YoY variance	Main reasons for increase/decrease
Revenue	0.06	0.09	0.02	
Operating profit	-8.55	-13.24	-4.70	Mainly due to increase in SG&A expenses −$2.73mn and increase in R&D expenses −$1.94mn.
Profit	-11.61	-9.70	1.91	Mainly due to decrease in financial expenses +$1.73mn and increase in financial income +$4.83mn (Please refer to the next page for details)
R&D expenses	5.99	7.93	1.94	
Number of employees	107	111	4	

(Note) * For details of the financial figures, please refer to the summary of the financial results announced today.
* Adopt average exchange rate (JPY/USD) over respective 3-month periods for P&L; FY2020 Q1 108.85 yen per dollar and FY2021 Q1 106.08 yen per dollar.

© HEALIOS K.K. All rights reserved.

Supplemental explanation of Financial income and Financial expenses

Update

Healios

Details of financial income and financial expenses

In the first quarter, we recorded financial income of ¥513 million and financial expenses of ¥140 million. Financial income was mainly due to the recording of ¥510 million in gain on valuation of derivatives*1. Financial expenses was mainly due to the recording of ¥130 million in interest on bonds*2, and ¥10 million in interest expenses.

*1. Gain or loss on valuation of derivatives

Gain or loss on valuation of derivatives are the net unrealized gains/losses on the convertible bond-type bonds with subscription rights to shares, which our company issued to overseas investors in July 2019, at fair value as of the end of the first quarter. These are non-cash items booked in accordance with the International Financial Reporting Standards (IFRS), which was introduced by in the first quarter of the fiscal year ending December 2020.

*2. Interest on bonds

Of the total interest on bonds of ¥130 million, ¥120 million was charged to income using the amortized cost method. As in *1 above, this is a non-cash expense recorded in accordance with the International Financial Reporting Standards (IFRS), which was introduced in the first quarter of the fiscal year ending December 2020.

Under JGAAP, convertible bond issuances were accounted for as liabilities and issue fees were accounted for as expenses. Under IFRS, however, proceeds, after deducting issue fees from convertible bond issuances, are accounted for as liabilities and equity, based on a certain standard. As a result, the difference between the face value of convertible bonds and the amount recorded as liabilities is amortized (expensed) over the period.

© HEALIOS K.K. All rights reserved.

Consolidated Statement of Financial Position

Update

Healios

(Units: one million US dollar)

	December 31, 2020	March 31, 2021		
			Variance	Main reasons for increase/decrease
Current assets	144.99 (64.8%)	120.95 (60.4%)	-24.04	Mainly due to decrease in cash equivalents −$23.62mn. (cash equivalent balance at 3/31/21 was $110.91mn)
Non-current assets	78.89 (35.2%)	79.32 (39.6%)	0.44	Mainly due to increase in other financial assets +$3.04mn as a result of a rise in Athersys, Inc. shares and acquisition of investment securities.
Total assets	223.88 (100.0%)	200.27 (100.0%)	-23.61	
Current liabilities	25.95 (11.6%)	20.11 (10.0%)	-5.84	Mainly due to decrease in other financial liabilities -$5.74mn.
Non-current liabilities	122.07 (54.5%)	115.82 (57.8%)	-6.25	Mainly due to decrease in bonds and loans payable -$5.87mn.
Total liabilities	148.02 (66.1%)	135.94 (67.9%)	-12.08	
Total equity	75.86 (33.9%)	64.33 (32.1%)	-11.52	Mainly due to net loss -$9.70mn and increase in other components of equity +$2.58mn as a result of a rise in Athersys shares.
Total liabilities and equity	223.88 (100.0%)	200.27 (100.0%)	-23.61	

(Note) * For details of the financial figures, please refer to the summary of the financial results announced today.
* Adopt spot rate (JPY/USD) at end of fiscal period for B/S ; FY2020 Q4 103.50 yen per dollar and FY2021 Q1 110.71 yen per dollar.

© HEALIOS K.K. All rights reserved.

Appendix

© HEALIOS K.K. All rights reserved.

Overview of Healios

Update

About us

Company Overview

Company Name	HEALIOS K.K.
Representative	Hardy TS Kagimoto, MD, Chairman and CEO
Establishment	February 24, 2011
Paid in Capital	2,774 million yen(As of March 31, 2021)
Head office	Yurakucho Denki Bldg. North Tower 19F, 1-7-1 Yurakucho, Chiyoda-ku ,Tokyo 100-0006, Japan
Number of Employees	111 (As of March 31, 2021)
Business	Research, development and manufacturing of cell therapy/ regenerative medicine products
Research Institution	Kobe (77：(Ph.D. Holders :Over 30 people) As of December 31, 2020) Yokohama
Affiliated Company	Sighregen Co., Ltd. (Joint Venture with Sumitomo Dainippon Pharma Co., Ltd.)
Subsidiary	・Healios NA Inc. (Established in February 2018) ・Organoid Neogenesis Laboratory Inc. (Established in June 2018 to promote the practical use of organ bud technology) ・Saisei Ventures LLC (Established in January 2021 as a venture fund investment advisor) ・Saisei Capital Ltd. (Established in January 2021 as a venture fund general partner) ・Saisei Bioventures, L.P. (Established in January 2021 as a venture fund limited partnership)

© HEALIOS K.K. All rights reserved.

Company History

Update

Healios

	Company	In the field of iPSC Regenerative Medicine	In the field of Somatic Stem Cell Regenerative Medicine
2011	Establishment of the company		
2012	Tokyo office opened		
2013		A patent licensing agreement concluded with RIKEN Joint Development Agreement with Sumitomo Dainippon Pharma Co., Ltd.	
2014		Joint research with Yokohama City University on Organ buds	
2015	Listed on Tokyo Stock Exchange (MOTHERS)		
2016		Start universal donor cell research	HLCM051 license agreement with Athersys, Inc. Clinical trial for ischemic stroke initiated
2017	A business and capital alliance with Nikon BBG250 Business transfer		
2018	Establishment of Healios NA, Inc. in the US Establishment of Organoid Neogenesis Laboratory Inc	CRADA with National Eye Institute Sighregen establishes a manufacturing facility in SMaRT	Strategic investment and collaboration expansion with Athersys ARDS development & clinical trial initiated
2019	Expansion of alliance with Nikon	Changes in joint development framework with Sumitomo Dainippon Pharma	
2020	Establishment of Sales and Marketing Department Establishment of a new Healios research facility	In-house development of gene-modified natural killer cells（HLCN061） Establishment of UDC research line and clinical grade line Joint research with the National Cancer Center Japan	COVID-19 induced ARDS clinical trial cohort enrollment completed
2021	Established venture fund related subsidiaries, including Saisei Ventures LLC in the United States		

© HEALIOS K.K. All rights reserved.

HEALIOS K.K. Leadership

Management Team

Since July 2019



Jun Narimatsu	Richard Kincaid	David Smith	Michael Alfant	Gregory Bonfiglio	Yoshinari Matsuda	Seigo Kashii
Accountant Supporting various venture companies in the field of IT/ Healthcare	**Executive Officer CFO** Experienced at Nezu Asia Capital Management (hedge fund)	Served at Lonza Extensive experience in cell manufacturing	Group Chairman & CEO, Fusion Systems, Co., Ltd. Presidents Emeriti, ACCJ	Founder & Managing Partner of Proteus, LLC. (Investment in RM ventures)	Attorney-at-Law, Senior Management Partner of Uruma Law Offices Legal Professional Corporation	Ex-corporate auditor of Astellas Pharma

Masanori Sawada	Hardy TS Kagimoto	Kouichi Tamura	Michihisa Nishiyama	Koji Abe
Executive Vice President, CMO (Chief Medical Officer) MD, PhD, MBA	**Chairman and CEO** MD, Founder	**Executive officer Research and Manufacturing field** Ex-Astellas US Director of Laboratories Expertise in Immunosuppressant Research	**Executive Officer Development field** Constructed network for Tacrolimus approval and sales at Astellas in the US and Europe	**Executive Officer HR & GA field** Over 30 years experience in HR

© HEALIOS K.K. All rights reserved.

Historical Relaxation of Japanese Regulations

Drastic reduction in the trial time period and number of patients with “Conditional and Time-limited Authorization System.”

Insurance is listed at ‘Conditional and Time-limited Authorization’ stage.

Conditional and Time-limited Authorization System



© HEALIOS K.K. All rights reserved.

About Orphan Regenerative Medicine Designation

Orphan regenerative medicine designation is available in cases of rare diseases with small patient numbers and no existing direct treatments.

【Criteria for designation as a rare disease】

1． Number of patients with this disease in Japan is lower than 50,000

2． Unmet medical needs

- A serious target disease with very high medical needs
- No alternative drug, medical device, regenerative medicine, or therapy exists
- A significantly higher efficacy and safety than that of existing drugs, medical devices, or regenerative medicines can be expected

3． A theoretical basis for using regenerative medicines exists and the developmental plan is considered appropriate

【Benefits of receiving orphan designation】

- Granting of subsidies to reduce development expenses
- Tax measures, priority advice and consultations and priority review
- Longer Reexamination period

ARDS is also a rare disease with an estimated incidence of 7,000 to 12,000 patients per year.

© HEALIOS K.K. All rights reserved.

((source)Definition of the Ministry of Health, Labour and Welfare：https://www.mhlw.go.jp/stf/seisakunitsuite/bunya/0000068484.html

iPSC Platform

© HEALIOS K.K. All rights reserved.

iPSC Platform: Universal Donor Cell



iPS cell
(pluripotent stem cell)

Gene-Editing

Universal Donor Cell
(Safe and versatile stem cells)

By using gene editing technology to produce iPS cells that avoid immune rejection, it is possible to realize universal iPS cells that can respond to the need for “one cell for all patients."

© HEALIOS K.K. All rights reserved.

iPSC Platform: Self-recognition of HLA Protein and UDC

HLA (human leukocyte antigen) protein:

・ HLA is a group of cell-surface proteins that are encoded by the MHC (major histocompatibility complex) gene and responsible for the regulation of the immune system.

・There are a myriad of HLA variations

・Immune cells distinguish between autologous and allogeneic cells and tissue.



HLA protein mismatch causes immune rejection

UDC:

- Deletion of HLA protein
- Introduction of immunosuppression-related molecules
- Introduction of suicide genes as a safety mechanism



UDC is a safer and more versatile iPS cell

© HEALIOS K.K. All rights reserved.

iPSC Platform: Rejection of Cell Transplant

HLA type mismatch



HLA protein deletion



Immune response

© HEALIOS K.K. All rights reserved.

iPSC Platform: Avoid Rejection Due to Immune Response



We produce immune rejection free iPS cells to realize safe and universal cell therapies.

© HEALIOS K.K. All rights reserved.

NK Cells

© HEALIOS K.K. All rights reserved.

HLCN061: NK Cells

NK Cells：



・NK cells are large granular lymphocytes (LGL) and critical to the innate immune system. The role of NK cells is to recognize and attack abnormal cells, such as cancer cells and virus-infected cells.

Superiority of NK cells to T cells



- Graft-versus-host disease (GVHD) occurs with allogeneic T cells
- Solid cancers are heterogeneous and have few relevant targets of cancer antigens
- Cytokine syndrome occurs with T cells

© HEALIOS K.K. All rights reserved.

HLCN061: Theory of Cancer Immunoediting

Cells that acts to eliminate cancer cells
NK: Natural Killer cell
T: T cell
DC: Dendritic cell
MΦ: Macrophage

Cells that interfere with the elimination of cancer cells
Treg: Regulatory T cell
TAM: Tumor-associated Macrophage
MDSC: Myeloid-derived suppressor cell



Elimination

- NK and T cells attack and eliminate cancerous cells

Equilibrium

- Equilibrium between cancer growth and clearance by immune system

Escape

- Cancer cells avoid immunity
- Appearance of immune suppressive cells

(Source) modified from Schreiber et al., Science 2011, 331 (6024): 1565

© HEALIOS K.K. All rights reserved.

Important Note on Future Events, etc

This material has been prepared solely for the purpose of disclosing relevant information regarding HEALIOS K.K. (“HEALIOS”). This document does not constitute an offer to sell or the solicitation of an offer to buy any security in the United States, Japan or any other jurisdiction.

This presentation contains statements that constitute forward-looking statements, including estimations, forecasts, targets and plans, and such forward-looking statements do not represent any guarantee by management of future performance. [In many cases, but not all, HEALIOS uses such words as “aim,” “anticipate,” “believe,” “continue,” “endeavor,” “estimate,” “expect,” “initiative,” “intend,” “may,” “plan,” “potential,” “probability,” “project,” “risk,” “seek,” “should,” “strive,” “target,” “will” and similar expressions to identify forward-looking statements.] You can also identify forward-looking statements by discussions of strategy, plans or intentions. Any forward-looking statements in this document are based on the current assumptions and beliefs of HEALIOS in light of the information currently available to it, and involve known and unknown risks, uncertainties and other factors. Such risks, uncertainties and other factors may cause HEALIOS’s actual results, performance, achievements or financial position to be materially different from any future results, performance, achievements or financial position expressed or implied by such forward-looking statements.

This presentation is based on the economic, regulatory, market and other conditions as in effect on the date hereof, and HEALIOS does not guarantee that the information contained in this presentation is accurate or complete. It should be understood that subsequent developments may affect the information contained in this presentation, which HEALIOS is not under an obligation, or does not plan, to update, revise or affirm. The information in this presentation is subject to change without prior notice and such information may change materially. Neither this presentation nor any of its contents may be disclosed to or used by any other party for any purpose without the prior written consent of HEALIOS.

The information in connection with or prepared by companies or parties other than HEALIOS is based on publicly available and other information as cited, and HEALIOS does not have independently verified the accuracy and appropriateness of, nor makes any warranties with respect to, such information.

The information about regenerative medicine products (including products currently in development) which is included in this material is not intended to constitute an advertisement or medical advice.

© HEALIOS K.K. All rights reserved.



＜Contact information＞
Corporate Communications
HEALIOS K.K.

Press contact: pr@healios.jp
Investor contact: ir@healios.jp
https://www.healios.co.jp/contact/